2909)₁ 8/597/60/000/001/004/005 B102/B138

21,6000

AUTHOR:

Khlyustikov, N. M.

TITLE:

Single-channel spectrometer with a resolving time of 0.3 µsec


PERIODICAL:

Apparatura dlya yadernoy spektrometrii, no. 1, 1960, 84-92

TEXT: Whereas the usual single-channel spectrometers have resolving times of only 2-5 µsec at a load of 30,000 pulses/sec, the development of new types of tube 6B1N (6V1P), under the supervision of N. V. Cherepnin and TPN (TRL) under the supervision of L. D. Lazarev-Marchenko means that it is

possible to resolve pulses of the order of 10⁻⁸ sec at repetition frequencies of 300,000-500,000 pulses/sec. A new spectrometer of this type with TRL transitron regenerative tubes is described. The block diagram is the following:

Card 1/# 3




The discriminator, designed on the basis of two 179-2 (TRL-2) tudes is shown in Fig. 2. The main feature of these tubes is that their anode-grid characteristics have a jump of ~10 ma. An anode pulse with an amplitude of 5 v has a front of (15-20)·109 sec. The linear part of the characteristics is eliminated by introducing a diode (4 ma) between the first and second anodes. The dead time of the circuit is less than 5·10-8 sec. The second TRL tube provides for pulse broadening. The anticoincidence circuit operates with 6V1P tubes. This circuit forms signals with an amplitude of about 30 v and a duration of 3·10-8 sec. The scaling circuit has a capacity of 105 pulses. It operates (Fig. 5) with two trochotrons and three

Card 2/5

Single-channel spectrometer with... 29094 S/597/60/000/001/004/005 B102/B138

decatrons and has a resolving time of 0.3 µsec. It scales continuous signals with a frequency of 1.3 Mc/sec. The trochotron needs a pulse amplitude of not less than 150 v which is achieved (at 1.3 Mc.) by means of a trigger circuit on the basis of a double triode of the type 6 H 6 H(6N6P). The RC oscillator of the timer operates at 100 cps. The stability of the timer, which is equipped with 5 decatrons, is more than $^{\pm}$ 0.1%. The spectrometer was tested with double signals of 0.1 μsec . The nonlinearity of the pulse-height characteristics was less than 11 %, which is within measuring error limits, the resolving time proved to be 0.3 µsec at 1.3.10 pulses/sec. Stable operation of the spectrometer is assured up to 250,000 pulses/sec. It is not sensitive to fluctuations of ± 10% in the supply voltage, and can be used continuously over long periods of time. A Zn65 spectrum was also taken for test purposes and yielded best results. There are 8 figures and 10 references: 2 Soviet and 8 non-Soviet. The four references to English-language publications read as follows: Moody N. F. Electr. Engng., 24, 214 (1952); Wells F. H. J. Sci. Instr., 29, 111 (1952); Wells F. H. Nucleonics, 10, 28 (1952); Adler R. Proc. Nat. Electr. Conf., 5, 408 (1949).

Card 3/5



APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7"

SASHENKOV, Mikhail Semenovich, kand. tekhn. nauk; SOROKOLETOV,
Aleksandr Fedorovich; AFONASOV, Nikifor Ivanovich. dots.;
UKOLOV, Mikhail Sergeyevich, inzh. st. nauchn. sotr.;
GONCHARENKO, Andrey Nikiforovich, inzh. mlad. nauchn. sotr.;
KHLYUSTIKOVA, Iraida Nikolyaevna, inzh., ml. nauchn. sotr.;
GOLIK, Svetlana Andreyevna, inzh.

[Specialized transportation facilities for the haulage of building materials and elements] Spetsializirovannye transportnye sredstva dlia perevozki stroitel'nykh materialov i konstruktsii. Moskva, Stroitzdat, 1964. 57 p.

1. Moscow. Nauchno-issledovatel'skiy institut organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu.

2. Rukovoditel' laboratorii transportnykh rabot otdela transportnykh, pogruzochno-razgruzochnykh i skladskikh rabot Nauchno-issledovatel'skogo instituta organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu (for Sashenkov).

3. Glavnyy inzhener laboratorii transportnykh rabot otdela transportnykh, pogruzochno-razgruzochnykh i skladskikh rabot Nauchno-issledovatel'skogo instituta organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu (for Sorokoletov).

4. Laboratoriya transportnykh rabot otdela transportnykh, pogruzochno-razgruzochnykh i skladskikh rabot Nauchno-issledovatel'skogo instituta organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu (for Afonasov, Ukolov, Goncharenko, Khlyustikova).

KHLYUSTIN, B.P.

Licensed

PHASE I BOOK EXPLOITATION

80V/5192

Karasavtsev, Boris Ivanovich, and Boris Pavlovich Khlyustin (Deceased)

Morekhodnaya astronomiya (Nautical Astronomy) Leningrad, Izd-vo "Morskoy transport", 1960. 492 p. Errata slip inserted. 7,500 copies printed.

Reviewer: L.F. Cherniyev; Specialist Ed.: N. Yu. Rybaltovskiy; Ed. of Publishing House: Z.S. Frishman; Tech. Ed.: O.I. Kotlyakova.

PURPOSE: This textbook is intended for students at naval engineering schools of higher education. It may also be useful to practicing navigators as a handbook.

COVERAGE: The authors discuss theoretical and practical problems in navigational astronomy. Special attention has been given to a description of methods of altitude line location. The textbook is a supplemented and rewritten version of the 1948 edition. The use of Mautical Astronomic Yearbooks is explained. Some new Soviet; and non-Soviet instruments are described, and Soviet Table VAS-58 (Vysoty i azimuty svetil - Altitudes and Azimuths of Celestial Bodies) is referred to. The author thanks V.G. Vasil'yev. There are 44 references: 42 Soviet and 2 English.

Card 1/13

OPPEL'; V.V.; KHLYUSTINA, T.B.

Amphoteric properties of the actinlike protein from the smooth musule of a dog stomach. Biokhimia 25 no. 3:557-539 My-Je '60.

(MIRA 14:4)

1. Institute of Evolutionary Physiology, Academy of Sciences of the U.S.S.R., Leningrad.

(ACTIN)

"Some Structural Proteins in the Smooth Muscles of Mammals."
Report presented at the 5th International Biochemistry Congress,
Moscow, 10-16 Aug 1961

OPPEL', V.V.; KHLYUSTINA, T.B.

Smooth muscle protein salted out at 25% (NH₄)₂SO₄ saturation. Biokhimiia 26 no.6:1051-1058 N-D '61. (MIRA 15:6)

1. Instituta of Evolutionary Physiology, Academy of Sciences of the U.S.S.R., Leningrad.
(PROTEINS) (SALTING-OUT) (MUSCLE)

| "Aurorse Boresles and Radio Interference." Vsesoyuznoye astronomo-geodezicheskoye obshchestvo. Byulleten' 1949, nc. 5 (12), p. 15-16. | ΟV, -YU. N. | | | |
|--|--|-----|---|--|
| Vsesoyuznoye astronomo-geodezicheskoye obshchestvo. Byulleten' 1949, nc. 5 | | | | |
| Vsesoyuznoye astronomo-geodezicheskoye obshchestvo. Byulleten' 1949, nc. 5 (12), p. 15-16. | "Aurorae Boreales and Radio Interference." | | | |
| | Vsesoyuznoye astronomo-geodezicheskoye obshchestvo. Byulleten' 1949, (12), p. 15-16. | no. | 5 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | 4 | | |
| | | | | |
| | | | | |
| | | | | |

KHLYUSTOV, YU.N.

33878. Sutochnnoye i Godovoye Dvizheniya Siyaniy. Byuliyetyen: Vsyesoyuz. Astron.-Cyeodoyez. O-va. No 6, 1949. C 46.

SO: Letopis' Zhurnal'nykh Statey, Vol. 46, Moskva, 1949.

KHLYUSTOV, YU. N.

Atmospheric electricity

Effect of the course of bright meteors on radio-reception. Biul. VAGO No. 10 (17), 1951.

Monthly List of Russian Accessions, Library of Congress, May 1952, Unclassified.

KHLYUSTOVA, A.I.

OLSUF'YEV, N.G.; PETROV, V.G.; TAMOLOVA, H.S.; MIKHALEVA, V.A.; SAMSONCVA, A.P.; KHLYUSTOVA, A.I.

Role of the tick Dermacentor marginatus Suls. in sustaining tularemia infection in a natural nidus of the bottomland type. Zool.shur. 33 no.2: 290-295 Mr-Ap '54. (MLRA 7:5)

1. Otdel parasitologii i meditsinskoy soologii (saveduvushchiy - skademik Ye.N.Pavlovskiy) IEM Akademii meditsinskikh nauk SSSR im. N.F.Gamileya, Stalingradskaya protivoepidemicheskaya stantsiya Ministerstva zdravookhraneniya SSSR i Stalingradskaya protivotulyaremiynaya stantsiya. (Tularemia) (Ticks as carriers of disease)

CIA-RDP86-00513R000722110010-7 。 "我们也是我们的的现在是,那些的事情也是我们就是我们的的对抗的的,你们也不是不是一个。" KHLYUSTOVA, A.1. OLSUF'YEV, H.G.; PETROV, V.G.; YANOLOVA, N.S.; MIKHALEVA, V.A.; SAMSOHOVA, A.P.; THE RESERVE THE PROPERTY OF THE PARTY OF THE Role of the ticks Rhipicephalus rossicus Jakim. et K .- Jakim. in sustaining tularemia in a natural focus of the flood plains. Zool.shur. 34 no.61224-1228 H-D '55. (MIRA 9:1) 1. Otdel parazitologii i meditsimskoy moologii (mav.akad. Ye. H. Pavlovskiy), IEM Akademii meditsinskikh nauk SSSR imeni N.F.Gamaleya, Stalingradskaya protivospidemicheskaya stantsiya Ministerstva zdravookhraneniya SSSR i Stalingradskaya protivotulyaremiynaya stanrsiya. (Tularemia) (Ticks as carriers of disease)

CIA-RDP86-00513R000722110010-7" **APPROVED FOR RELEASE: 09/17/2001**

BORODIN, V.P.; SPITSYN, N.A.; SAMSONOVA, A.P.; KOROLEVA, A.P.; KHLYUSTOVA, A.I.

Two cases of tularemia caused ty the bite of the tick Rhipicephalus rossicus Jakim. et K.Jakim. Zhur.mikrobiol. epid. i immun. 27 no. 9: 49-51 S 156. (MIRA 9:10)

1. Is Stalingradskoy oblastnoy protivotulyaremiynoy stantsii (glavnyy vrach - V.P.Borodin)

(TUIARRMIA, tiology and pathogenesis, tick Rhipicephalus ressicus bite (Rus)) (TICKS,

Rhipicophalus rossicus bite causing tularemia (Rus))


Observations on the first cases of human tularemia from Imodes tick bities encountered in Stalingradskaya Oblast are presented. Clinical pictures and diagnoses of two cases are described. Tularemia was verified by precise methods of laboratory diagnosis.


On the basis of these observations, the following conclusions are presented:


1. Two cases of the ulcerous-bubonic form of tularemis following bites of ticks (Rhipicephalus rossicus) were observed.


2. The high rate of infection among ticks of the species Rhipicephalus resultus (3.3%) in comparison with that among Dermacentor marginatus (0.5%), both of which were found in the same territory, was bacteriologically verified.


3. Strains of tularemia bacteria isolated from domestic mice (Mus musculus) and the aforementioned species of ticks were typical in regard to their baise characteristics, including virulence.











KHIYZOV, A.N.; MAYKVA, D.B.

Problem of increasing the effectiveness of capital investments in the wood chemistry industry. Gidroliz.i lesokhim. prom. 12 no.6:22-23 '59. (MIRA 13:2)

1. Gosplan RSFSR (for Khlysov). 2. Giproleskhim (for Mayeva). (Wood-using industries--Finance)

MIKHAYLOV, Mikhail Ivanovich; YASINSKIY, Boris Nikolayevich; KHLYZOV, A.N., red.; MIKHAYLOVA, L.G., red. izd-va; PARAKHINA, N.L., tekhn. red.

[Prospects for the growth of the hydrolysis and wood chemistry industry]
Perspektivy razvitiia lesckhimicheakoi i gidrolissoi promyshlemnosti.

Moskva, Goslesbumizdat, 1960. 54 p.

(Wood—Chemistry)

(Hydrolysis)

(MIRA 14:7)

KELYZOV, A.N., inzh.

Results of the development of the wood chemicals industry in the U.S.S.R. and its future tasks. [Trudy] NTO bum.i der.prom. no.8:232-240 '59. (MIRA 16:2) (Wood-Chemistry)

ORLOV, V.V., inzh.; YAKIMOV, P.A. (Novosibirsk); KHLYZOV, A.G., starshiy dorozhnyy master (Novosibirsk)

Letters to the editor. Put' i put.khoz. 5 no.ll:41 N '61.

(MIRA 14:12)

1. Nachal'nik distantsii puti, st. Levshino, Sverdlovskoy dorogi (for Orlov). 2. Starshiy inspektor Glavnogo upravleniya material'no-tekhnicheskogo obespecheniya, g. Novosibirsk (for Yakimov).

(Railroads—Traok)

KHMALADZE, A. G.

37547. Sanitarnaya Okhrana Vodnykh Resursov Gruzinskoy SSR. V SB: XII Vsesoyuz. S* yezd Gigiyenistov. Epidemiologov, Mikrobiologov I Infektsionistov. T. I. M., 1949 c. 93-95.

SO: Letopis | Zhurnal nykh Statey, Vol. 37, 149

KHMAIADZE, A.G. Reasearch on public nutrition by a statistical inquiry method. Vop.pit. 15 nb.4:53-55 Jl-Ag '56. (MIRA 9:9) 1. Is kafedry giglyeny Tbilisakogo instituta usovershenstvovaniya vrachey. (BUTRITION in Russia, statist. & inquiry method in research on pub. nutrition) (PUBLIC HEAITH in Russia, nutrition aspects, research by statist. & inquiry method)

KHMALADZE, A.O. (Thilisi)

Hethod for use at health control stations in determining the ascorbid abid level in the body. Vopr.pit. 17 no.1:78-81 Ja-F '58. (MIRA 11:4)

1. Iz laboratorii gigiyeny pitaniya (zav. - prof. A.G.Khmeladze)

Nauchno-issledovatel'skogo sanitarnogo instituta Ministerstva

zdravookhraneniya Gruzinskoy SSR.

(VITAMIN C, metabolism,

determ. (Rus))

"Un the study of organized nutrition of various age-related and industrial groups of population of the Georgian SSR."

report submitted at the 13th All-Union Congress of Hydienists, Epidemiologists and Infectionists, 1959.

KHMALADZE, A.G.; DZHIBLADZE, V.Yo.

Toxicological and hygienic evaluation of mercaptophos. Vop. pit. 19 no.3:62-64 My-Je '60. (MIRA 14:3)

1. Iz Nauchno-issledovatel'skogo instituta sanitarii i gigiyeny Ministeretva zdravookhraneniya Gruzinskoy SSR, Tbilisi.
(INSECTICIDES) (SYSTOX)

KHMALADZE, A.G.; ZAALISHVILI, A.A.

Method for the determination of fats in milk and milk products.
Vop. pit. 19 no. 6:85-86 N-D '60. (MIRA 13:12)


1. In kafedry gigiyeny (zav. - prof. A.G. Khmaladze) Tbilisskogo gosudarstvennogo instituta usovershenstvovaniya vrachey.

(MIK—ANALYSIS AND EXAMINATION) (BUTTERFAT)

KHMALADZE, A.G.; KAPANADZE, P.I.; RIZHAMADZE, O.K.

Hygienic evaluation of fruits from plants treated with derivatives of dithiocarbamic acid. Vop. pit. 21 no.1:74-77 Ja-F 162. (MIRA 15-2)

l. Iz laboratorii gigiyeny pitaniya Tbilisakogo nauchno-issledovateliskogo instituta sanitarii i gigiyeny. (FRIUT) (CARBAMIC ACID)




KHMALADZE, G. N.

"Typical, Curves of Confidence of the Average Daily Discharges of the Rivers of Georgia," Meteorol. i gidrologiya, No 3, 1953, pp 15-19


The author distinguishes the principal types of supply for the rivers of Georgia: lake-spring, glacial, glacial-snow, mixed (glacial-snow-rain), and rain. For each of these he establishes the typical curve of confidence of the daily discharges with indication of the ordinates of the characteristic discharges. In the appendix is a schematic chart of regionalization of the confidence curves in dependence upon the conditions of supply. (RZhGeol, No 5, 1954)


50: Sum. No. 568, 6 Jul 55

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7



| | Rare f | lash flood. | Priroda 44 no. (Caucasus | 10:91-93 0'55. Floods) | (MLRA 8:12) | |
|---|--------|-------------|--------------------------|---------------------------|-------------|--|
| ÷ | | | | | | |
| | | • • | | | | |
| | | | | · | | |
| | | | | | | |
| | | · · · | | · · · | | |
| | : | | • | | | |





AUTHOR:

Khmaladze, G. N.

50-1-25/26

TITLE:

The Scientific Session of Tollisi Scientific Research Institute for Hydrometeorology. (Rauchnays

sessiya Tbilisakogo NIGMI)

PERIODICAL:

Meteorologiya i Gidrologiya, 1958, Nr 1, pp. 66-67 (USSR)

ABSTRACT:

In May 1957 this institute held its fourth scientific session, where 16 lectures devoted to various branches of the hydrometeorological science were held. Under the conditions of Transcaucasia the problem of the forecast of thunderstorms is of great practical importance, therefore special attention was paid to the lecture by Guniya, S. U. on the method of forecasting thunderstorms under the mountainous conditions of Transcaucasia and the lecture by Shishkin, N. S. (Main Geophysical Observatory) on the topic of the forecast of thunderstorm-processes according to the method of layers. Papinashvili, K. I., Napetvaridze, Ye. A. and Lominadze, V. P. dealt with the problems of the investigation and subdivision of the airand turbulence-currents above Transcaucasia. Vorontsov, P. A. reported on some peculiarities of the

Card 1/2

Vorontsov, P. A. reported on some peculiarities of the temperature- and wind-conditions above the lake Sevan.

The Scientific Session of Tollisi Scientific Research Institute for Hydrometeorology.

50-1-25/26

Kvaratskheliya, I. F., Tsutskiridze, A. Ya. and Kurdiani, I. G. (State University Tbilissi) reported on the results of their works in the field of the aeroclimatic characteristic of the free atmosphere, on the analytical method of the treatment of observations with pilot balloons and distribution of clouds in Georgia. Chirakadze, G. I. and Gigineyshvili, V. M. explained the scheme of the radiation method of plotting the slipperiness of ice in Transcaucasia and the characteristic of slush and its distribution in Transcaucasia. Khmaladze, G. N., Tsomaya, V. Sh. and Poklepa, V. F. reported on the duration of the vernal-aestival floods in the rivers of Transcaucasia and on the method of their calculation as well as on the method of the determination of the water supplies in the snow according to given records of snow routes. Tsertsvadze, Sh. I. held a lecture on the method of forecasting the main phenophases of grapes in Georgia, Svanidze, V. F. - on the characteristic of the agrometeorological conditions of the cultivation of potatoes, various conditions of the cultivation of potatoes, various terms for planting in the low grounds of valleys of East Georgia. Library of Congress

Card 2/2 AVAILAHLE:


1. Weather forecasting 2. Meteorology

RHMALADZE, G.N.


Problems and methods of snow surveys in the Caucasian mountains.
Trudy Tbil. NIGMI no.3:5-12 '58. (MIRA 11:10)

1. Tbilisskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut. (Caucasus--Snow)

| | Average discharge of Georgian rivers. Trudy Geog. ob-va Gruz. no.3:75-84 '58. (MIRA 12:9) (GeorgiaRivers) | SIR | • • |
|---|---|-------|-----|
| | | | |
| | | | • |
| | | | |
| | | : | |
| | | * ** | |
| · | | | |
| | | | |
| | | | . : |
| | | | • |
| | | | |
| : | | | |
| | | | |
| | | | |
| | | · .i | |
| | | . [1] | |
| | | | |
| | | | |
| | | | • |
| | | j. | |



"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7



30V/50-59-2-24/25 AUTHOR: Khmaladze, G. N. TITLE: Scientific Meeting at the Tbilisi Scientific Research Institute of Hydrometeorology (Nauchnaya sessiya v Tbilisskom nauchnoissledovatel'skom gidrometeorologicheskom institute) PERIODICAL: Meteorologiya i gidrologiya, 1959, Nr 2, pp 70 - 71 (USSR) ABSTRACT: In May 1958 the Tbilisskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut (Tbilisi Hydrometeorological Scientific Research Institute) held a meeting in which the following representatives participated: Representatives of the Tsentral nyy institut prognozov (Central Forecasting Institute), Glavnaya geofizicheskaya observatoriya (Main Gebphysical Observatory), and the local administrations of the hydrometeorological services of the Transcaucasian Republics. On the occasion of the fifth anniversary of the Tbilisi NIGMI the director of the Institute V. P. Lominadze held a speech commemorating the event. Kh. P. Pogosyan (TsIP) spoke on the character of temperature distribution and the circulation of the atmosphere above the Antarctica. K. I. Papinashvili Card 1/3 and Ye. A. Napetvaridze spoke on the characteristics of the

Scientific Meeting at the Tbilisi Scientific Research Institute of Hydrometeorology

SOV/50-59-2-24/25

circulation processes above Transcaucasia. M. A. Zakhashvili reported on the typification of synoptical processes carried out by him. R. I. Nozadze read two papers on theoretical questions of dynamic meteorology. V. M. Gigineishvili and V. P. Lominadze spoke on the present state of the fight against hail. F. T. Kharchilava spoke on the great amounts of precipitation on East Georgia, I. T. Bartishvili on meteorological visibility in cloudbursts, Ye. A. Polyakova (GGO) on the meteorological visibility in the case of precipitation and fog, G. I. Chirakadze on the precipitation in Georgia in the course of 24 hours, E. V. Sukhishvili om the wind energy reserves of Georgia, Sh. V. Mosidze on the radiation and heat balances in the alpine zone of the Kazbegi, Ye. R. Dvali on the radioactivity of the atmosphere in Tbilisi and Dusheti, Ya. A. Tsutskiridze on the albedo of different natural surfaces, Sh. G. Gavasheli (UGMS of the Gruzinskaya SSR) on the ground temperature conditions in Tbilisi, V. Sh. Tsomaya on the method developed by him for forecasting the number of days with ice mash, V. F. Pok-

Card 2/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7"

Scientific Meeting at the Tbilisi Scientific Research Institute of Hydrometeorology

sov/50-59-2-24/25

leps on a method for the calculation of the volume of rain water supply in floods, G. F. Pastukhova (UGMS of the Azerbaydzhanskaya SSR) on the use of indices of the atmospheric circulation in hydrological forecasts. The representative of the UGMS of the Armyanskaya SSR M. V. Shaginyan reported on the characteristics of the formation of the water supply for spring floods on the rivers of Armenia. A. A. Pogosyan (UGMS of the Armyanskaya SSR) pointed to the special role of the snow cover of the belt between 1800 and 2400 m in the formation of the water supply for spring floods on the rivers of Armenia. V. F. Svanidze spoke on the method of forecasting easily accessible humidity in the soil below grain cultures. N. P. Stolypin and Sh. I. Tsertsvadze spoke on the periods set for the opening of vineyards in Transcaucasia. O. M. Kandelaki, L. A. Enfiadzhyan (UGMS of the Armyanskaya SSR), and N. S. Chernysh spoke on the microclimatic conditions of the Lambalinskiy massif in the Armyanskaya SSR. In all, 27 papers were read.

Card 3/3

3(7) SOV/50-59-4 ?0/21 AUTHOR: Khmaladze, G. N. Snow Surveys in the Mountains of the Caucasus TITLE: (O snegos yemkakh v gorakh Kavkaza) Meteorologiya i gidrologiya, 1959, Nr 4, p 77 (USSR) PERIODICAL: In the resolutions of the Vtoroye Vsesoyuznoye soveshchariye po ABSTRACT: izucheniyu snezhnogo pokrova v gorakh (Second All-Union Conference on the Study of the Snow Cover in the Mountains), which took place in Tbilisi in October 1956, meetings of snow surveyors were alternately provided for in Tbilisi, Baku and Yerevan. According to these resolutions, the Tbilisskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut (TNIGHI) (Tbilisi Hydrometeorological Scientific Research Institute) organized such a meeting in 1957. On December 18-20, 1958, such a meeting was organized by the TNICMI in Yerewan. Besides experts of the UCMS (Hydrometeorological Service: Administration), also representatives of the Akademiya nauk Armyanskoy SSR (Academy of Sciences of the Armyanskaya SSR). of the Armgidep and the Geograficheskoye obshchestvo Armyanskoy SSR (Geographic Society of the Armyanskaya SSR), attended this meeting. An exhibition of the works by the snow-surveying squads Card 1/3

Snow Surveys in the Mountains of the Caucasus

SOV/50-59-4-20/21

of the UCMS of the 3 Transcaucasian Republics was installed in the meeting room. At the end of the meeting, a short film entitled "Snow Surveys in the Mountains" was shown. The film was made by I. Kisin and Sh. Agayev, co-workers of the UGMS of the Azerbaydzhanskaya SSR, under the direction of V. S. Vlasova. G. N. Khmaladze, Chief of the Department of Hydrological Investigations and Forecasts, opened the meeting with a report of information. He spoke on the state of snow surveying and glacier research work to be carried out in 1959 by the UCHS and THICHI. Reports were then delivered by the directors and experts of the UCAS of the Azerbaydzhanskaya SSR (Sh. Agayev), of the Armyanskaya SSR (A. Pogosyan) and of the Gruzinskaya SSR (V. Palavandishvili). They reported on the state of the indoor service and field work for snow surveys in the mountains, on investigations of snow avalanches and glaciers, as well as on observations in 1958 of the snow cover in the mountains. - I. Kisin reported on glacier investigations in the mountains of Azerbaydzhan and Dagestan.-V. Sh. Tsomaya put forward the results of investigations on the correlation between route snow surveys and stationary observations, as well as formulas for the calculation of water reserves in snow according to the quantity of precipitations

Card 2/3


Snow Surveys in the Mountains of the Caucasus

507/50-59-4- 7/21

in winter measured with the rain gauge. He reported on the state of glacier investigations in the Caucasus. G. N. Khmaladze reported on the work of the TNIGNI on the subject of snow avalanches, and gave a survey of avalanche slips in the various regions of the Great and Little Caucasus from 1933 to 1955.—A. A. Pogosyan reported on his determination of the water reserves in snow at an altitude of 1800-2400 m.

Card 3/3

Method of measuring and calculating the discharge of mountain rivers. Trudy Tbil, NIGHT no. 4:153-161 '59. (MIRA 13:4) (Georgia-Stream measurements)



| | Hydrology of 88-128 159. | inland waters of Tiflis. Trudy Tbil.NIGMI no.6: (MIRA 13:5) |) ** |
|---|--------------------------|---|------|
| | | | |
| | | | |
| | • | | |
| | | | |
| | | | |
| | | | : |
| | | | |
| | | | |
| | | | |
| | | | . Y |
| : | | | 4 |

3(7)

S0V/50-59-10-23/25

AUTHORS:

Papinashvili, K. I., Khmaladze, G. N.

TITLE:

At the Tbilisi Hydrometeorological Scientific Reserach Institute

PERIODICAL:


Meteorologiya i gidrologiya, 1959, Kr 10, p 56 (USSR)


ABSTRACT:

The Tbilisekiy nauchno-issledovatel skiy gidrometeorologiches kiy institut (Tbilisi Hydrometeorological Scientific Research Institute) held a scientific meeting in May 1959, which dealt with the tasks outlined by the resolutions of the XXI Party Congress of the Soviet Communist Party. 40 lectures were delivered on various current problems of meteorology and hydrology. V. P. Lominadze, Director of the Institute, reported on the principal tasks to be mastered by the Institute in 1959-1965. The meeting was attended by scientific representatives of Gruziya, Azerbaydzhan, Armenia, Moscow, Leningrad and other cities.

Card 1/1

| KHMALADZE | | | | | | _ | |
|---------------------------------------|------------|------------------------------------|-----------|-------------|-----------------------|----------|--|
| fl | lood flows | terns of variation of calculation. | rivers of | franscaucae | in and the no.7:101-1 | techni- | |
| | 4 | (Transca | ucasiaF | loods) | (TILIUI | 14.0) | |
| | | • | | , , | | | |
| * | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | |
| | | | | | | | |
| | | | | | | 1. 4. | |
| | | | | | | | |
| | | | - | | • | | |





ZAYROV, B.B.; ONUFRIYENKO, L.G.; SOKOLOV, A.A.; KHMALADZE, G.N.

"General hydrology; continental waters" by A.I.Ghebotarev.

Reviewed by B.D.Zaikov and others. Meteor.i gidrol. no.7150-52;

(Hydrology) (Ghebotarev, A.I.)

(Hydrology) (Ghebotarev, A.I.)

| | | KHMAIADZE, G.N. | | |
|---|-------|--|--|-------|
| | | Mean runoff of Transcaucasian rivers and the effect of physicogs graphical factors on it. Trudy Tbil.NIGMI no.8:42-62*61. (MIRA 15:3) | 10 | |
| | | (Transcaucania—Runoff) | | |
| | : | | | |
| | , | | | |
| | | | | |
| | | | - | |
| | | | | |
| | | | | ٠. |
| | | | | |
| | | | : | |
| | | | | |
| ~ | | | • " | |
| | | | | |
| | * * | | | |
| | | | * | |
| | | | | |
| | | | | |
| | i. | | | |
| | | | | |
| | | | SPECIAL SPECIAL DESCRIPTION OF THE PERSON OF | 8-m14 |


| | | DZE, G.N. | | | | | |
|---|-----|-------------------------|-------------|-----------|------------|-----------------------|--|
| • | | Flash floods 93 *61. | in Georgia. | Trudy Tbi | l.NIGMI no | .8:68- (MIRA 15:3) | |
| | | 97 OT | (Georgi | a-Floods |) | | |
| | | | | : | | | |
| ÷ | | : | | | | | |
| | | | • | | | | |
| | | | | * | | | |
| | | | | | • | | |
| | | | | | | | |
| | • • | | | | | | |
| | | • | | | | : . | |

State of studies and problems in exploring the snow cover and glaciers of the Caucasus. Trudy Thil.NICHI no.9:8-18 '61. (MIRA 15:3) 1. Thilisskiy nauchno-issledovatel skiy gidrometeorologicheskiy institut. (Caucasus—Glaciological research)

Characteristics of the distribution of water in the snow of the Transcaucasian mountains. Trudy Tbil.NIGMI no.9:64-78 '61. (MIRN 15:3) 1. Tbilisskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut. (Transcaucasia—Snow)

Refect of glaciation on the mean and annual runoff of rivers of the Greater Caucasus and the technique of its calculation. Trudy Tbil. NICMI no.9:148-165 '61. (MIRA 15:3) 1. Tbilisskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut. (Gaucasus--Runoff)

KHMALADZE, G.N. Organizing mud torrent information service in the Selav Mastara River basin. Meteor, i gidrol. no.4:52-54 Ap '62. (MIRA 15:5) (Selav Mastara Valley-Floods)



RHMALADZE, G.N.

Glaciological studies in the Gaucasus Mountains. Meteor.i gidrol. no.11:57-59 N '62. (MIRA 15:12)


1. Zakavkazskiy nauchno-issledovatel skiy gidrometeorologicheskiy institut.

(Caucasus-Glaciers)

KHMALADZE, Grigoriy Nikolayevich; YEGIAZAROV, I.V., akademik, retsenzent; LUPATIN, G.V., doktor geogr. nauk, retsenzent; LISITSYNA, K.N., nauchn. sotr., retsenzent; BOGOLYUBOVA, I.V., nauchn. sotr., retsenzent; KHERKHEULIDZE, I.I., red.; CHEPELKINA, L.A., red.

[Suspended sediments of the rivers of the Armenian S.S.R.] Vzveshennye nasosy rek Armianskoi SSR. Leningrad, Gidrometeoizdat, 1964. 245 p. (MIRA 17:9)

1. Laboratoriya nanosov Gosudarstvennogo gidrologicheskogo instituta (for Lisitsyna, Bogolyubova).



| | Problems in the study of the snow cover, snow avolances, and glaciers of the Caucasus. Trudy IbilNIGML no.13:449 163. | |
|---|---|---------|
| · | 1. Zekavkazakiy nauchno-issledovateliskiy gidrometeorologicheski institut. | រ រា |
| | | |
| : | | |
| | | |
| | | |
| | | |
| | | |

CHANTLADZE, Z.I.; KHMALADZE, G.N.

The hydrochemical regime of some glacial rivers of western Georgia. Trudy TbilNIGMI no.13:79-89 '63. (MIRA 18:8)

1. Zakavkazskiy nauchno-issledovatel'skiy gidrometeorologicheskiy institut.

KHMALADZE, G.N.

Regularities of change in the minimum flow of the mountain rivers of Armenia and the methodology of calculating it. Trudy ZakNIGMI no.18:95-107 '65.

(MIRA 19:1)

KHMALADZE, I.; TARTISHVILI, H., red.; BATIASHVILI, El., red. izd-ve; TODUA, A., tekhred.

[Petrography of minor intrusions of the upper reaches of the Kuban River (in the area of the "El'brus" mine)] Petrografiia malykh intrusii verkhov'ev reki Kubani (v predelakh raiona rudnika "El'brus"). Tbilisi, Izd-vo Akad.nauk Gruzinskoi SSR. 1958. 44 p. [In Georgian] (MIRA 12:6)

(Kuban Valley--Petrology)

"Acclimatization of Foreign Breeds of Trees in Kakhetia and Their Use in Decorative Park Construction," Acad Sci Georgian SSR, Inst Botany, Tollisi, 1955 (Dissertation for the Degree of Candidate of Biological Sciences)

SO: Knizhnaya Letopis', No. 32, 6 Aug 55


KHMALADZE, I. I.: Master Geolog-Mineralo Sci (diss) -- "Small intrusions of the upper reaches of the river Kuban' (within the range of the "El'brus" mine)". Tbilisi, 1958. 13 pp (Tbilisi State U im I. V. Stalin), 150 copies (KL, No 1, 1959, 116)

ZARIDZE, G.M.; TATRISHVILI, N.F.; KHMALADZE, I.I.

Some specific features of upper Cretaceous volcanism in southeastern Georgia. Dokl.AN SSSR 133 no.3:649-652 Jl '60. (MIRA 13:7)

。 1. 10.1000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000

1. Geologicheskiy institut Akademii nauk GrusSSR. Predstavleno akademikom D.I.Shcherbakovym.
(Georgia—Metasomatism)



KHMALADZE, I.I.

Conglomerates from the crystalline shale formation of the Dzirula massif. Soob. AN Gruz. SSR 30 no.5:607-610 My 163.

1. Geologicheskiy institut AN GruzSSR, Tbilisi. Predstavleno akademikom P.D.Gamkrelidze.

KHMALADZE_ O.C. Temperature cycle of Georgian rivers. Trudy Geog. ob-va Gruz. SSR 7:151-158 '63. (MIRA 18:5)

地国家政府和中国中土地发现了中国的政府的创办。但是这些自然的影响,但是这些国家的国家的,但是这些国家的国家的国家的国家的国家的国家的国家的国家的国家的国家的

| | KHMALADZE, O.G. | | | |
|-----|--|---|----------------|--------------------|
| · | Ice regime of the rivers flowing from the southern western "Caucasioni". Trudy Tbil. GU 90:189-194 | slopes of | the | · • . |
| | | · (MIRA | 17:4) | |
| | | - | | |
| | | | · | |
| ÷. | | | | |
| : | | | | |
| . , | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | : | | |
| | I F : F | | | |
| | | TOTAL PROPERTY OF THE PARTY OF | MARINE MEANSON | ASSESSED PROPERTY. |

PKHALADZE, G.M., prof.; MACHAVARIANI, S.N., dotsent; TSINTSADZE, A.N.;
MAGRADZE, K.G., dotsent; POCHKHUA, P.E.; CHOCHUA, D.V., kand.
med. nauk; KOTARIYA, V.G., kand. med. nauk; KADAGIDZE, K.I.,
kand. med. nauk; GURABANIDZE, T.A., kand. med. nauk; PKHAKADZE,
A.S., kand. med. nauk; AMIRIDZE, M.V., kand. med. nauk; KAVTARADZE,
V.A., kand. med. nauk; KUTALADZE, L.A., kand. med. nauk; TSAGARELI,
G.G., kand. med. nauk; [deceased]; KENCHADZE, I., kand. med. nauk;
ABASHIDZE, N.G., kand. med. nauk; KHMALADZE, T.I., kand. med. nauk;
DZHADZHANIDZE, D.V., kand. med. nauk

Effectiveness of the treatment of infectious syphilis (stage I and II) with bicillin-1 and bicillin-3. Vest. derm. i ven. no.1:56-61 '65. (MIRA 18:10)

1. Tbilisskiy nauchno-issledovatel'skiy kozhno-venerologicheskiy institut (dir.- dotsent S.N. Machavariani) i kafedra kozhno-venericheskikh bolezney (zav.- prof. G.M. Pkhaladze) Tbilisskogo instituta usovershenstvovaniya vrachey.

BORODENCHIK, N.K.; DIKALOV, A.I.; STOROZHIK, D.A.; KHMARA, A.M.

Three-bell charging hopper. Metallurg 6 no.2:7-11 F '61.

(MIRA 14:1)

1. Zavod "Zaporoshstal'" 1 Dnepropetrovskiy metallurgicheskiy institut.


(Blast furnaces—Design and construction)


KHMARA, A.Ya., aspirant

Efficient method of prospecting for anthophyllite asbestos deposits of the Sysert' group in the Urals. Izv.vys.ucheb.zav.; geol. i razv. 8 no.1:75-93 Ja *65. (MIRA 18:3)

1. Moskovskiy geologorazvedochnyy institut im. S.Ordzhonikidze.

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7





VELIKOVSKAYA, E.M.; VEYMARN, A.3.; VEHGUNOV, G.P.; APROLOV, V.A.; LYUSTIH,
Ye.N.; LIPOVETSKIY, I.A.; ROMASHOV, A N.; FEL'DMAN, V.I.; SAVOCHKINA,
Ye.N.; GEND'ER, V.Ye.; RONENSON, B.M.; DOBNOKHOTOVA, Ye.S.;
LYUBIHOVA, L.V.; KHMARA, A.Ya.; VESELOVSKAYA, M.M.; KUDRIN, L.N.;
CHERNIKOV, O.A.; SOROKIN, V.S.; IL'IN, A.N.; FLOROVSKAYA, V.N.;
ZEZIN, R.B.; TEPLITSKAYA, T.A.; BRUSILOVSKIY, S.A.; KISSIN, I.G.;
CHIZHOVA, N.I.; PAVIOVA, O.P.; SHUTOV, Yu.1.

Supplements. Biul. MOIP. Otd. geol. 39 no.4:155 Jl-Ag '64.

(MIRA 17:10)

23430 \$/121/61/000/006/005/012 D040/D112

1 1100

Khmara, I.Kh.

AUTHOR:

Machining spherical surfaces on vertical milling machines

PERIODICAL: Stanki i instrument, no.6, 1961, 18-20

TEXT: The article presents a detailed description of a new method for machining spherical external and internal surfaces on vertical milling machines instead of It eliminates the special lathe attachments and the accuracy of dimensions and surface finish are higher. The new method consists in cutting with a rotating cutter held in a tool holder or cutter head fixed in the machine spindle; the workpiece is clamped in the indexing head chuck and rotated by its spindle To obtain a part with an external incomplete sphere with a radius R_c and a cylindrical section with a diameter d, the workpiece must be turned so that its axis makes an angle & with the horizontal. The cutter traces an arc with radius Rp through a point (B); all remaining points on the sphere will fall on the cutter are upon rotation of the workpiece about its axis. The intersection point of the two spindle axes must be set with high accuracy. This is done by setting the indexing head spindle (1) upright (Fig.2) and aligning it accurately with the axis of the tool holder (or cutter head) using a dial indicator (fixed in the tool Card 1/5

 $\sqrt{}$

Machining spherical surfaces on vertical

S/121/61/000/006/005/012 D040/D112

holder) and an arbor. By moving the table (2) transversely, the indicator readings must not vary by more than 0.005-0.01 mm. The rim on the indexing head spindle can be used instead of an arbor. The indexing head spindle must be inclined only after accurate alignment is reached. The incline angle (7) is calculated by the equation

where AD = $\frac{d}{2}$; BD=R_c + OD = R_c + $\frac{AD}{BD}$,

substituting these values, the formula becomes $tg = \frac{d}{D_c + 2} = \frac{R_c^2 - (\frac{d}{2})^2}{R_c^2 - (\frac{d}{2})^2}.$

The cutter rotation radius

$$R_p = R_c^2 \cos \chi$$
 .

The workpiece is brought into a symmetrical position in relation to the cutter Card 2/5

Machining spherical surfaces on vertical

S/121/61/000/006/005/012 D040/D112

rotation axis (by moving the machine table) and checked by touching it with the cutter from two opposite sides. The cutting depth is set by the vertical lift of the table. Setting for machining an external and an internal half-sphere on the workpiece end and for bores with a concave surface (Fig.6), is also described. The cutting method can be also used on universal milling machines (the table must be turned by the angle instead of the indexing head in the case of a vertical milling machine). For machining spherical bores (Fig.6), the indexing-head-spindle incline angle formula is

 $\cos \int = \frac{B}{D}$

The tool rotation radius (R_p) must be slightly shorter than the sphere radius (R_p); this is achieved by setting the spindle at an angle 2-3° smaller than \$\forall \text{.} The constant that the sphere radius (R_p); this is achieved by setting the spindle at an angle 2-3° smaller than \$\forall \text{.} The constant that the sphere radius (R_p); the spindle was \$\forall \text{.} The constant that the sphere radius (R_p); the constant that the sphere rad

 $i_{total} = \frac{1}{50} \cdot \frac{1}{40} = \frac{1}{2000}$


Card 3/5

Machining spherical surfaces on vertical


S/121/61/000/006/005/012 D040/D112

and the workpiece was performing $\frac{1400}{2000} = 0.7$ rpm in the opposite direction to the tool. The accuracy of the spherical surface of an external ball with a diameter of 58 mm was 0.005-0.01 mm. The method is good for piece and small-lot production and even with manual feed without a reduction gear. It needs no special attachments and the accuracy is higher than in machining with attachments on lathes, for the inaccuracies and plays in the attachments increase the machining errors. For series production the following is necessary: a reduction gear; cutter holders or heads permitting easy adjustment of the tool rotation radius; special supports for rigid holding of the workpiece and the tool holder. There are 8 figures.

Card 4/5



"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7



GURVICH, S.I.; KAZARINOV, L.N.; KHMARA, N.V.

[Ancient rare-metal-titanium placers, methods of prospecting and evaluating them] Drewnie redkometal new prospections are considered by the second control of the second contr

prospecting and evaluating them) Drevnie redkometal notitanovye rossypi, metody ikh poiskov i otsenki. Moskva, Nedra, 1964. 169 p. (MIRA 17:12)

TATTS, Hoy Yur'yevich; ROZHEGART, Yuriy Iosifovich; EHMARA, S.M., otvetstvennyy redaktor; LIBERMAN, S.S., redaktor izdatel'stva; ANDREYEV, S.P., tekhnicheskiy redaktor

[Continuous heating furnaces] Metodicheskie nagrevatel'nye pechi.

Ehar'kov, Gos. nauchno-tekhn, isd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1956. 248 p. (MLRA 9:11)

(Furnaces)

KHMARA, S.M.

137-58-2-2889

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 98 (USSR)

AUTHORS: Fel'dman, I.I., Khmara, S.M.

TITLE: Experimental Determination of Hammer Impact Force (Eksperi-

mental' noye opredeleniye energii udara molotov)

PERIODICAL: Tr. Khar'kovsk. politekhn. in-ta, 1957, Vol 11, pp 71-77

ABSTRACT: A study of steam or air hammers conducted with the aid of a speed-recording instrument made it possible to determine the speed of a hammer at the moment of impact and during its rise and fall. A 5-ton SKMZ hammer operating on 5.0 - 6.5 atmospheres gage pressure was not developing sufficient impact force. Suitable changes in the design of the pressure-valve control resulted in a steady swinging cycle of the hammer; increasing its speed by a factor of 2.1 increased its impact force by a factor of 4.4.

Ye.L.

1. Hammers-Impact-Determination

Card 1/1

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722110010-7

KHMARA, S.M.

137-58-2#2898

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 99 (USSR)

AUTHOR:

Khmara, S.M.

TITLE:

The Effect of Individual Die Parameters on the Forging Power of the Presses (Vliyaniye otdel'nykh parametrov shtampov na

usiliye shtampovki na pressakh)

PERIODICAL: Tr. Khar'kovsk. politekhn. in-ta, 1957, Vol 11, pp 133-140

ABSTRACT:

Methods are evolved for determining the ratio of the width of a burr to its thickness (and an equation and nomogram are included) and for determining the forging power of the presses in hot press

1. Forge presses -- Power -- Die factors Ya.O. 2. Forge presses-Performance -Die factors

Card 1/1

IHMARA, S.W., kand.tekhn.nauk, dotsent, otv.red.; KOPITOV, V.F., otv.
red.; VESSEL'MAN, S.G., prof., otv.red.; DONSKOY, Is.Ie., red.;

ZMAKHOVSKIY, L.S., tekhn.red.

[Conversion of industrial furnaces and boiler installations to
natural gas] Perevod promyshlennykh pechei i kotel'nykh ustanovok
na prirodnyi gas. Khar'kov, Khar'kovakoe obl.izd-vo, 1956, 233 p.

(MIRA 13:1)
nyshlennosti. Khar'kovakoye oblastnoye pravleniye. (MIRA 13:1)
nyshlennosti. Khar'kovakoye oblastnoye pravleniye. 2. Chlenkorrespondent AN USER (for Kopytov).

(Furnaces)

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 3, p 11 (USSR) SOV/137-59-3-4966

CONTRACTOR OF THE PROPERTY OF

AUTHOR: Khmara, S. M.

TITLE:

Utilization of Natural Gas and Introduction of a New Heating Technique in Industrial Furnaces (Ispol'zovaniye prirodnogo gaza i vnedreniye novoy tekhniki nagreva v promyshlennykh pechakh)

PERIODICAL: Byul. tekhn.-ekon. inform. Sovnarkhoz. Khar'kovsk. ekon. adm,

ABSTRACT: An abbreviated account of the contents of reports and talks at the Kharkov Industrial-engineering Session on the exchange of experiences in the utilization of natural gas and introduction of new heating technique in industrial furnaces and boilers, which took place February 24-25, 1958. Achievements in the transfer of industrial units from solid and liquid fuel and low-calory gas to natural gas, for example, forging, heat treatment and open-hearth furnaces, as well as cupola furnaces and dryers, are noted. Examples of savings in time and cost of heating and data on the selection of the type of burners for

various furnaces in a number of establishments in Khar'kov are Card 1/2 adduced. The problems on the application of air preheating,

Utilization of Natural Gas and Introduction of a New Heating Technique in (cont.)
automatization of furnaces, and nonoxidizing heating of metal are also exposed.
M. IE.

ZMAGA, P.I., inzh., red.; VOROB'YEV, S.A., kand.tekhn.nsuk, red.; KUZUBOV, V.I., inzh., red.; LEONOV, A.Ye., dotsent, red.; MALYSH, Yu.I., inzh., red.; FUSTOVALOV, V.I., inzh., red.; SAVCHENKOV, V.A., kand.tekhn.nsuk, red.; LYALYUK, J.P., red.; SHEVCHENKO, M.G., tekhn.red.

[Advanced technology; collection of articles on the introduction of advanced technology in machinery plants of Kharkov] Progressivnaia tekhnologiia; sbornik statei ob opyte vnedreniia progressivnoi tekhnologii na khar'kovskikh mashinostroitel'nykh mavodakh. Khar'kov, Khar'kovskoe knishnoe isd-vo, 1959. 297 p. (MIRA 13:1)

1. Politekhnicheskiy institut imeni Lenina (for Khmara). (Kharkov---Machinery industry---Technological innovations)

SHAMES SEED TO SEED TO

EMAGA, P.I., inzh., red.; VOROB'YEV, S.A., kand.tekhn.nauk, red.;

KAHLOV, A.A., inzh., red.; KUZUBOV, V.I., inzh., red.;

LEONOV, A.Ye., dotsent, red.; TUPITSYN, A.I., kand.tekhn.nauk,

red.; KHMARA, S.M., kand.tekhn.nauk, red.; DONSKOY, Ya.Ye.,

red.; KARDASH, G.I., red.; LYALYUK, I.P., red.; LIMANOVA, M.I.,

tekhn.red.

[Mechanisation and automation; collected articles on the introduction of mechanisation and automation at machinery plants in Kharkov] Mekhanisatsiia i avtomatizatsiia; sbornik statei ob opyte vnedreniia mekhanisatsii i avtomatizatsii na Khar'kovskikh mashinostroitel'nykh savodakh. Khar'kov, Khar'kovskoe knizhnoe izd-vo, 1960. 373 p.

(Kharkov-Machinery industry) (Automation)